


 GEBERIT



PRZEZNACZENIE

- Do kołnierzy ze stali węglowej, brązu i mosiądzu

- Ocynkowane

- Klasa wytrzymałości 8.8, EN 20898-2

DANE TECHNICZNE

Materiał

Stal

ZAKRES DOSTAWY

- Śruba
- 2 podkładki
- Nakrętka

Nr art.	M mm	m mm	L cm	Ik cm
Ten artykuł pasuje do systemu: Geberit Mapress stal węglowa				
91064	10	11	4.5	3.1
91065	10	11	5	3.6
91066	12	14	5	3
91067	12	14	5.5	3.5

Nr art.	M mm	m mm	L cm	IK cm
91068	12	14	6	4
91069	16	18	5.5	3.3
91070	16	18	6	3.8
91071	16	18	6.5	4.3
91072	16	18	7	4.8
91073	16	18	8	5.8

Ten artykuł pasuje do systemu: **Geberit Mapress miedź**

91064	10	11	4.5	3.1
91065	10	11	5	3.6
91066	12	14	5	3
91067	12	14	5.5	3.5
91068	12	14	6	4
91069	16	18	5.5	3.3

Nr art.	M mm	m mm	L cm	IK cm
91070	16	18	6	3.8
91071	16	18	6.5	4.3
91072	16	18	7	4.8
91073	16	18	8	5.8
Ten artykuł pasuje do systemu: Geberit FlowFit				
91064	10	11	4.5	3.1
91065	10	11	5	3.6
91066	12	14	5	3
91067	12	14	5.5	3.5
91068	12	14	6	4
91069	16	18	5.5	3.3
91070	16	18	6	3.8
91071	16	18	6.5	4.3

Nr art.	M mm	m mm	L cm	IK cm
91072	16	18	7	4.8
91073	16	18	8	5.8
Ten artykuł pasuje do systemu: Geberit Mepla				
91066	12	14	5	3
91067	12	14	5.5	3.5
91068	12	14	6	4