




Drill column RODIACUT 150

No. FF30150

dated: 11/17


Item no.	Description	Article no.	Quantity
1	Base plate RC 150	1500001904	1
2	Tie bar RC 150	1500001907	1
3	Grooved pin 5x16 DIN 1472	1500001825	1
4	Lifting eye bolt AM10x80	FF50803	4
5	Air bleed valve	FF50928	1
6	Strap grip RC 150 / 250	1500001824	1
7	Schnorr safety washer 5 DIN 53070	1500001894	2
8	Cylindrical screw M 5x25 DIN912	H88161	2
9	Set screw	F85114	1
10	Clamping lever M10	1500001549	1
11	Axle RC 150/250	1500001908	1
12	Sperrated lock washer AM8 DIN 6798	1500001888	2
13	Hexagon cap nut M8 DIN917-55	FF54942	1
14	Clamp lever M8 RC 150 / 250	1500001822	1
15	Spacer RC 150/250	1500001911	1
16	Grip RC 150/250	1500001910	1
17	Hex. Socket head screw M4x25 DIN 7991	F85122	4
18	Hex. Socket screw key 6 DIN 911	321216	1
19	Spirit level can-shaped 18x9 mm	F85611	1
20.1	Axle RC 150/250	1500001919	1
20.2	Grub screw DIN913 M4x8	FF54076	1
20.3	Knurled cscrew M6 RC 150 / 250	1500001823	1
20.4	Disc spring A12,5 DIN 2093	F84068	1
20.5	Pinion RC 150	1500001918	1
21.1	Block 30x52 RC 150/250	1500001916	1
21.2	Pinion RC 150/250	1500001917	1
21.3	Grub screw M8x8	FF50906	1
21.4	Hex. Socket head cap screw M4x12 DIN 912	86848	1
22	Feed lever cpl.	FF50863	1

IMPORTANT! To assure safety and reliability, repairs, maintenance and adjustment must be preformed by ROTHENBERGER Kelkheim or authorized Service-Centers. Always use Original-Service-Parts. Order your accessories and spare parts from your specialist retailer or using RoService+ online.

Tel. +49 6195 - 800 **8200**

Fax: +49 6195 - 800 **7491**

 service@rothenberger.com



Feeder housing cpl. RC 131 DWS / 150
No. F82934

dated: 10/17

Item no.	Description	Article no.	Quantity
1	Feeder housing RC 150	1500001912	1
2	Reducing ring 56	F85152	1
3	Stop bolt M12 RC 150	1500001915	1
4	Bushing RC 150/250	1500001914	2
5	Pinion shaft RC 150/250	1500001913	1
6	Grub screw M5x8 DIN914	7630046	2
7	Guide strip RC 150/250	1500001906	2
8	Stop bushing RC 150/250	1500001905	4
9	Socket set screw M12x35 DIN 915	1500001891	4
10	Spring lock washer 12 DIN 7980	1500001889	4
11	Hexagon thin nut M12x1,5 DIN 439VZ	L84024	4
12	Spirit level can-shaped 18x9 mm	F85611	2
13	Hex. Socket head cap screw M4x12 DIN 912	86848	1

IMPORTANT! To assure safety and reliability, repairs, maintenance and adjustment must be preformed by ROTHENBERGER Kelkheim or authorized Service-Centers. Always use Original-Service-Parts. Order your accessories and spare parts from your specialist retailer or using our Service After Sales hotline

Tel. +49 6195 - 800 **8200**

Fax: +49 6195 - 800 **7491**

 service@rothenberger.com