

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Weichlötpaste - Torrey Lötpaste Nr. 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

solder paste

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Viega Technology GmbH & Co. KG

Viega Platz 1

57439 Attendorn

Telephone no. +49 2722 610

Fax no. + 49 2722 611415

Information provided by / telephone

+49 2722 61-1100

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Eye Dam. 1; H318

Skin Irrit. 2; H315

STOT SE 3; H335

Classification information

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

zinc chloride

Hazard statement(s)

H315

Causes skin irritation.

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P501 Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Mixture (preparation)

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	zinc chloride		
	7646-85-7 231-592-0 030-003-00-2 -	Acute Tox. 4*; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Corr. 1B; H314	> 10.00 - < 30.00 wt%
2	dodecan-1-ol		
	112-53-8 203-982-0 - -	Aquatic Acute 1; H400	> 5.00 - < 10.00 wt%
3	ammonium chloride		
	12125-02-9 235-186-4 017-014-00-8 -	Acute Tox. 4*; H302 Eye Irrit. 2; H319	> 5.00 - < 10.00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	STOT SE 3; H335: C >= 5%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
1	350 mg/kg bodyweight		

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Change contaminated, saturated clothing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

After skin contact

In case of contact with skin wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Hydrogen chloride (HCl)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When collected, handle material as described under the section heading "Disposal considerations". Rinse away rest with plenty of water.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Do not breathe steams or mist of the product. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid eye, skin and clothing contact.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

No special measures necessary.

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
	2000/39/EC		
	Hydrogen chloride		
	WEL short-term (15 min reference period)	15	mg/m ³ 10 ppm
	WEL long-term (8-hr TWA reference period)	8	mg/m ³ 5 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Hydrogen Chloride gas and aerosol mists		
	WEL short-term (15 min reference period)	8	mg/m ³ 5 ppm
	WEL long-term (8-hr TWA reference period)	2	mg/m ³ 1 ppm
2	ammonium chloride	12125-02-9	235-186-4
	List of approved workplace exposure limits (WELs) / EH40		
	Ammonium chloride		
	fume		
	WEL short-term (15 min reference period)	20	mg/m ³
	WEL long-term (8-hr TWA reference period)	10	mg/m ³

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator B E P3 EN 14387

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material rubber

Other

Protective work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

State of aggregation			
solid			
Form/Colour			
pasty			
grey			
Odour			
odourless			
pH value			
Value	appr.	7	
Reference temperature		20	°C
Concentration		20	g/l
Boiling point / boiling range			
not determined			
Melting point/freezing point			
Value	appr.	200	°C
Decomposition temperature			
No data available			
Flash point			
Value	appr.	110	°C
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	appr.	2.35	g/cm ³
Solubility in water			
Comments	partly soluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No data available			
Viscosity			
Value	appr.	300 - 500	dPa*s
Particle characteristics			
No data available			

9.2 Other information

Other information			
No data available.			

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Hydrogen chloride (HCl)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Weichlötpaste - Torrey Lötpaste Nr. 3
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	zinc chloride	7646-85-7	231-592-0
LD50		350	mg/kg bodyweight
Species	rat		

Acute dermal toxicity	
No data available	

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation	
No	Product Name
1	Weichlötpaste - Torrey Lötpaste Nr. 3
Species	rabbit
Method	OECD 404
Source	Manufacturer
Evaluation	irritant

Serious eye damage/irritation	
No data available	

Respiratory or skin sensitisation	
No data available	

Germ cell mutagenicity	
No data available	

Reproduction toxicity	
No data available	

Carcinogenicity	

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

No data available
STOT - single exposure
No data available
STOT - repeated exposure
No data available
Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Product Name		
1	Weichlötpaste - Torrey Lötpaste Nr. 3		
LC50		250	mg/l
Duration of exposure		96	h
Source	Manufacturer		

Toxicity to fish (chronic)			
No data available			

Toxicity to Daphnia (acute)			
No	Product Name		
1	Weichlötpaste - Torrey Lötpaste Nr. 3		
EC50		310	mg/l
Duration of exposure		48	h
Source	Manufacturer		

Toxicity to Daphnia (chronic)			
No data available			

Toxicity to algae (acute)			
No	Product Name		
1	Weichlötpaste - Torrey Lötpaste Nr. 3		
IC50		13.5	mg/l
Duration of exposure		72	h
Source	Manufacturer		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

Trade name: Weichlötpaste - Torrey Lötpaste Nr. 3

Product no.: 121334

Current version : 3.2.2, issued: 29.03.2021

Replaced version: 3.2.1, issued: 16.04.2018

Region: GB

No	Substance name	CAS no.	EC no.	No
1	ammonium chloride	12125-02-9	235-186-4	65

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Observe employment restrictions for young people.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 616891